

SAFETY DATA SHEET

Date: June 2015

Section #1: PRODUCT AND COMPANY IDENTIFICATION

Lapmaster Wolters, LLC 501 W. Algonquin Road Mt. Prospect, IL 60056

www.lapmaster.com

Telephone: (224) 659-7101 (Office Hours 8:00 a.m. to 5:30 p.m. CST) 24-Hour Emergency Number: Chemtrec – 1-800-424-9300

Product Identification: Boron Carbide Abrasive Powder Product Name: Boron Carbide Powder #LAP5-0002-0XX-3YY0 X= Container Size (weight) Y = Particle Size (mesh)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture
Classification (GHS-US)
Comb. Dust
Acute Tox. 4 (Inhalation:dust,mist) H332
Repr. 1B H360
2.2. Label Elements
GHS-US Labeling
Hazard Pictograms (GHS-US) :



Signal Word (GHS-US)	: Danger
Hazard Statements (GHS-US)	: Comb. Dust - May form combustible dust concentrations in air
	H332 - Harmful if inhaled
	H360 - May damage fertility or the unborn child (oral)
Precautionary Statements (GHS-US)	: P201+P405 - Obtain special instructions before use. Store locked up.
	P202 - Do not handle until all safety precautions have been read and understood.
	P271+P261 - Use only outdoors or in a well-ventilated area. Avoid breathing dust.
	P280 - Wear eye protection, protective clothing, protective gloves.
	P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P308+P313 - If exposed or concerned: Get medical advice/attention.
	P501 - Dispose of contents/container according to local, regional, national, and
	international regulations.

2.3. Other Hazards

Other Hazards Not Contributing to the Classification: Contact with particles may cause mechanical irritation of the skin with itching, redness, swelling, or rash; or irritation of the eyes with tearing, pain, or blurring of vision. Inhalation of dried-down material may cause irritation of the upper respiratory passages.

2.4. Unknown Acute Toxicity (GHS-US) Not applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS 3.1. Substance Not applicable 3.2. Mixture Name Product identifier % Classification (GHS-US)

Name	Product identifier	%	Classification (GHS-US)
Boron carbide (B4C)	(CAS No) 12069-32-8	>= 89	Comb. Dust Acute Tox. 4 (Inhalation:dust,mist), H332

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	Classification (GHS-US) Simple Asphy Compressed gas, H280	
Nitrogen	(CAS No) 7727-37-9	<= 2		
Boron oxide (B2O3)	(CAS No) 1303-86-2	<= 1	Repr. 1B, H360	
Oxygen	(CAS No) 7782-44-7 <= 1	Ox. Gas 1, H270 Compressed gas, H280		
Iron	n (CAS No) 7439-89-6		Flam. Sol. 1, H228 Self-heat. 1, H251	
Silicon	(CAS No) 7440-21-3	(CAS No) 7440-21-3 <= 0.3 Comb. Dust		

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

First-aid Measures General: If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: Using proper respiratory protection, move the exposed person to fresh air at once.

Encourage victim to cough, spit out, and blow nose to remove dust. Immediately call a poison center or physician.

First-aid Measures After Skin Contact: Remove contaminated clothing. Rinse affected area with water for at least 5 minutes. Obtain medical attention if irritation persists.

First-aid Measures After Eye Contact: Rinse with water for 5 minutes. Remove contact lenses, if present. Continue rinsing. **First-aid Measures After Ingestion**: Rinse mouth. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: Dust is harmful if inhaled. May be harmful if swallowed.

Symptoms/Injuries After Inhalation: Dust is harmful if inhaled. Dust may cause irritation to the respiratory tract.

Symptoms/Injuries After Skin Contact: Prolonged contact with dust may cause mechanical irritation.

Symptoms/Injuries After Eye Contact: May cause eye irritation.

Symptoms/Injuries After Ingestion: May be harmful if swallowed.

Chronic Symptoms: Long term inhalation of dust may cause Pneumoconiosis (Black lung disease), which causes shortness of breath that gets progressively worse and may result in lung damage. If ingested, may cause reproductive harm.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Dry chemical powder, alcohol-resistant foam, carbon dioxide (CO₂).

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Emits toxic fumes under fire conditions.

Explosion Hazard: Product itself is not explosive but if dust is generated, dust clouds suspended in air can be explosive.

5.3. Advice for Firefighters

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not breathe dust. Do not get in eyes, on skin, or on clothing. Keep away from open flames, hot surfaces and sources of ignition. No smoking.

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel. Eliminate ignition sources. Ventilate area. If possible, stop flow of product.

6.2. Environmental Precautions No additional information available

6.3. Methods and Material for Containment and Cleaning Up

Methods for Cleaning Up: Avoid generation of dust during clean-up of spills. Use only non-sparking tools.

6.4. Reference to Other Sections See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Incompatible Products: Strong acids. Strong bases. Strong oxidizers.

7.3. Specific End Use(s) Lapping/Grinding/Polishing

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

2

Boron oxide	(B2O3) (1303-86-2)		
USA ACGIH	ACGIH TWA (mg/m ³)	10 mg/m ³	
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	10 mg/m ³	
USA IDLH	US IDLH (mg/m ³)	2000 mg/m ³	
USA OSHA	OSHA PEL (TWA) (mg/m ³)	15 mg/m ³	
Silicon (7440	-21-3)		
USA NIOSH	NIOSH REL (TWA) (mg/m ³)	5 mg/m ³	
USA OSHA	OSHA PEL (TWA) (mg/m ³)	5 mg/m ³	

8.2. Exposure Controls

Appropriate Engineering Controls :

Provide adequate ventilation to minimize dust concentrations. Take precautionary measures against static discharges. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Gloves. Safety glasses. Dust formation: dust mask.

Personal Protective Equipment

m	6	
1 1 1 1		(20)

When using, do not eat, drink or smoke.

Hand Protection	: Impermeable protective gloves.
Eye Protection	: Chemical goggles or safety glasses.
Skin and Body Protection	: Wear suitable protective clothing.
Respiratory Protection	: A respiratory protection program that meets OSHA 29 CFR 1910.134, ANSI Z88.2-1992 or MSHA 30 CFR 72.710 must be followed when conditions warrant respirator use.

Other Information

9.1. Information on Basic Physical an	d C	hemical Properties
Physical State	:	Solid
Appearance	3	Black granular material or powder; Particle size: ~1 micron to 1200 mesh
Ddor	:	Odorless
Ddor Threshold	1	No data available
рН	+	No data available
Relative Evaporation Rate (butylacetate=1)	:	No data available
Melting/Freezing Point	÷.	2450 °C (4442 °F)
Boiling Point	:	No data available
lash Point	:	No data available
Auto-ignition Temperature	1	No data available
Decomposition Temperature	:	No data available
lammability (solid, gas)	•	No data available
/apor Pressure	2	No data available
Relative Vapor Density at 20 °C	:	No data available
Relative Density	:	2.51 (water = 1)
Density	:	2.51 g/cm ³
Solubility	•	Insoluble.
Partition coefficient: n-octanol/water	:	No data available
/iscosity	1	No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

9.2. Other Information No additional information available **SECTION 10: STABILITY AND REACTIVITY** 10.1 Reactivity: Product itself is not explosive but if dust is generated, dust clouds suspended in air can be explosive. 10.2 **Chemical Stability:** The product is stable at normal handling and storage conditions. 10.3 Possibility of Hazardous Reactions: Hazardous polymerization will not occur. 10.4 Conditions to Avoid: Avoid creating or spreading dust. Sparks, heat, open flame and other sources of ignition. 10.5 Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. 10.6 Hazardous Decomposition Products: Carbon oxides (CO, CO₂). Oxides of boron. SECTION 11: TOXICOLOGICAL INFORMATION Information On Toxicological Effects 11.1. Acute Toxicity: Harmful if inhaled. Boron oxide (B2O3) (1303-86-2) 3150.000 mg/kg ATE (Oral) Skin Corrosion/Irritation: Not classified Serious Eye Damage/Irritation: Not classified Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Carcinogenicity: Not classified Reproductive Toxicity: May damage fertility or the unborn child (oral). Specific Target Organ Toxicity (Single Exposure): Not classified Specific Target Organ Toxicity (Repeated Exposure): Not classified Aspiration Hazard: Not classified Symptoms/Injuries After Inhalation: Dust is harmful if inhaled. Dust may cause irritation to the respiratory tract. Symptoms/Injuries After Skin Contact: Prolonged contact with dust may cause mechanical irritation. Symptoms/Injuries After Eye Contact: May cause eye irritation. Symptoms/Injuries After Ingestion: May be harmful if swallowed. Chronic Symptoms: Long term inhalation of dust may cause Pneumoconiosis (Black lung disease), which causes shortness of breath that gets progressively worse and may result in lung damage. If ingested, may cause reproductive harm. SECTION 12: ECOLOGICAL INFORMATION 12.1. Toxicity Boron oxide (B2O3) (1303-86-2) EC50 Daphnia 1 370 - 490 mg/l (Exposure time: 48 h - Species: Daphnia magna) 12.2. Persistence and Degradability Not established 12.3. Bioaccumulative Potential Not established 12.4. Mobility in Soil No additional information available SECTION 13: DISPOSAL CONSIDERATIONS 131 Waste treatment methods Waste Disposal Recommendations: Dispose of waste according to all local, regional, national, and international regulations. **SECTION 14: TRANSPORT INFORMATION** In Accordance With ICAO/IATA/IMDG/DOT UN Number Not regulated for transport 14.1. 14.2. UN Proper Shipping Name Not regulated for transport SECTION 15: REGULATORY INFORMATION **US Federal Regulations** 15.1 **BORON CARBIDE POWDER UK\B4C** SARA Section 311/312 Hazard Classes Delayed (chronic) health hazard, Immediate (acute) health hazard, Fire hazard Boron carbide (B4C) (12069-32-8) Listed on the United States TSCA (Toxic Substances Control Act) inventory Boron oxide (B2O3) (1303-86-2) Listed on the United States TSCA (Toxic Substances Control Act) inventory Iron (7439-89-6) Listed on the United States TSCA (Toxic Substances Control Act) inventory Oxygen (7782-44-7) Listed on the United States TSCA (Toxic Substances Control Act) inventory

03/24/2014

EN (English US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Nitrogen (7727-37-9)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Silicon (7440-21-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2 US State Regulations

Boron oxide (B2O3) (1303-86-2)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

Iron (7439-89-6)

U.S. - Massachusetts - Drinking Water - Secondary Maximum Contaminant Levels (SMCLs)

U.S. - New Jersey - Secondary Drinking Water Standards - Recommended Upper Limits (RULs)

U.S. - New Jersey - Water Quality - Ground Water Quality Criteria and Water Quality - Practical Quantitation Levels (PQLs)

U.S. - Pennsylvania - Drinking Water - Secondary Maximum Contaminant Levels (SMCLs)

Oxygen (7782-44-7)

U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity and Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

Nitrogen (7727-37-9)

U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity and Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

Silicon (7440-21-3)

U.S. - Massachusetts - Right To Know List

U.S. - New Jersey - Right to Know Hazardous Substance List and Special Health Hazards Substances List

U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: OTHER INFORMATION, INCLUDING DATA ON DATE OF PREPARATION OR LAST REVISION

THIS PRODUCT IS CERTIFIED TO BE RoHS COMPLIANT

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. LAPMASTER WOLTERS MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the LAPMASTER WOLTERS is fit for a particular purpose and if it is suitable for the method of use or application. Given the variety of factors that can affect the use and application of a LAPMASTER WOLTERS product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the LAPMASTER WOLTERS product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

LAPMASTER WOLTERS provides information in electronic form as a service to our customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, LAPMASTER WOLTERS makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from LAPMASTER WOLTERS.