

Date: June 2015

Section #1: PRODUCT AND COMPANY IDENTIFICATION

Lapmaster Wolters, LLC 501 W. Algonquin Road Mt. Prospect, IL 60056

www.lapmaster.com

Telephone: (224) 659-7101 (Office Hours 8:00 a.m. to 5:30 p.m. CST) 24-Hour Emergency Number: Chemtrec – 1-800-424-9300

Product : White Calcined Alumina Abrasive –Treated for Oil Suspension Product Name: White Calcined Alumina Powder #LAP5-T002-0XX-7OYY X = Container Size (weight) Y = Particle Size Code (microns)

2 Hazards identification

 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 The following Hazard Statements are applicable only to the EU regulations and not the US G regulation: H350i. The following Hazard Statements are applicable only to the general GHS regulations and not the specific CLP regulation: H350.
H350: May cause cancer.
Carc. 1A H350i May cause cancer by inhalation.
Classification according to Directive 67/548/EEC or Directive 1999/45/EC
R45: May cause cancer. Information concerning particular hazards for human and environment: The product has to be labelled due to the calculation procedure of the "General Classification guideline preparations of the EU" in the latest valid version.
 Classification system: The classification is according to the latest editions of the EU-lists, and extended by company a literature data. The classification is in accordance with the latest editions of international substances lists, and supplemented by information from technical literature and by information provided by the company.
• 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. (Contd. on page

Printing date 12.05.2014

Revision: 12.05.2014

Trade name: MICRO ALUMINA "T" Treated (Contd. of page 1) · Hazard pictograms GHS08 · Signal word Danger · Hazard-determining components of labelling: Quartz (SiO2) · Hazard statements The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H350i. The following Hazard Statements are applicable only to the general GHS regulations and not the specific CLP regulation: H350. H350: May cause cancer. (USA) H350i May cause cancer by inhalation. · Precautionary statements P281 Use personal protective equipment as required. Obtain special instructions before use. P201 Do not handle until all safety precautions have been read and understood. P202 P308+P313 IF exposed or concerned: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international P501 regulations. Additional information: Restricted to professional users. · Hazard description: · WHMIS-symbols: D2A - Very toxic material causing other toxic effects · NFPA ratings (scale 0 - 4) Health = 2 Fire = 0Reactivity = 0 · HMIS-ratings (scale 0 - 4) HEALTH *2 Health = *2 • Fire = 0 FIRE **REACTIVITY** Reactivity = 0 * - Indicates a long term health hazard from repeated or prolonged exposures. **HMIS Long Term Health Hazard Substances** 14808-60-7 Quartz (SiO2) 13463-67-7 titanium dioxide (Contd. on page 3)

Printing date 12.05.2014

Revision: 12.05.2014

(Contd. of page 2)

Trade name: MICRO ALUMINA "T" Treated

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

aluminium oxide substance with a Community workplace exposure limit	50-100%
silicon dioxide, chemically prepared Xi R36/38 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	2,5-10%
magnesium oxide substance with a Community workplace exposure limit	2,5-10%
Quartz (SiO2) Xn R48/20 Carc. 1A, H350; STOT RE 2, H373	<1%
Red Iron Oxide substance with a Community workplace exposure limit	<1%
titanium dioxide substance with a Community workplace exposure limit	<1%
calcium oxide Xi R37/38-41 Eye Dam. 1, H318 Skin Irrit. 2, H315; STOT SE 3, H335	<1%
	substance with a Community workplace exposure limit silicon dioxide, chemically prepared Xi R36/38 ✓ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 magnesium oxide substance with a Community workplace exposure limit Quartz (SiO2) Xn R48/20 ✓ Carc. 1A, H350; STOT RE 2, H373 Red Iron Oxide substance with a Community workplace exposure limit titanium dioxide substance with a Community workplace exposure limit titanium dioxide substance with a Community workplace exposure limit Calcium oxide Xi R37/38-41 ✓ Eye Dam. 1, H318

Additional information: For the wording of the listed risk phrases refer to section 16.

4 First aid measures

· 4.1 Description of first aid measures

· General information: No special measures required.

· After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

• After skin contact:

Brush off loose particles from skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

(Contd. on page 4)

GHS

Printing date 12.05.2014

Revision: 12.05.2014

Trade name: MICRO ALUMINA "T" Treated

(Contd. of page 3)

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
After swallowing: Do not induce vomiting; call for medical help immediately.
4.2 Most important symptoms and effects, both acute and delayed Coughing Breathing difficulty Slight irritant effect on eyes. Gastric or intestinal disorders when ingested. Nausea in case of ingestion.
Hazards Danger of impaired breathing. Carcinogenic.
4.3 Indication of any immediate medical attention and special treatment needed May produce a emphysemic effect. If necessary oxygen respiration treatment.

5 Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

· For safety reasons unsuitable extinguishing agents: None.

· 5.2 Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

5.3 Advice for firefighters

• Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information No further relevant information available.

6 Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Use respiratory protective device against the effects of fumes/dust/aerosol. Ensure adequate ventilation
Avoid formation of dust.
Wear protective equipment. Keep unprotected persons away. • 6.2 Environmental precautions:
Do not allow to enter sewers/ surface or ground water.
Damp down dust with water spray.
 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
Send for recovery or disposal in suitable receptacles.
Dispose contaminated material as waste according to item 13.
⁻ 6.4 Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

(Contd. on page 5)

Printing date 12.05.2014

Revision: 12.05.2014

(Contd. of page 4)

Trade name: MICRO ALUMINA "T" Treated

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

Prevent formation of dust.

Any unavoidable deposit of dust must be regularly removed.

Use only in well ventilated areas.

Take note of emission threshold.

· Information about fire - and explosion protection: No special measures required.

• 7.2 Conditions for safe storage, including any incompatibilities • Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility:

Store away from foodstuffs.

Protect from humidity and water.

• Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

• 7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients v	with limit values that require monitoring at the workplace:
1344-28-1 alu	uminium oxide
PEL (USA)	Long-term value: 15*; 15** mg/m ³ *Total dust; ** Respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³ *Total dust **Respirable fraction
TLV (USA)	Long-term value: 1* mg/m³ as Al; *as respirable fraction
EL (Canada)	Long-term value: 10 mg/m ³
EV (Canada)	Long-term value: 10 mg/m³ total dust
1309-48-4 ma	agnesium oxide
PEL (USA)	Long-term value: 15* mg/m ³ fume; *total particulate
TLV (USA)	Long-term value: 10* mg/m³ *as inhalable fraction
	(Contd. on page 6)

Printing date 12.05.2014

Revision: 12.05.2014

Trade name: MICRO ALUMINA "T" Treated

	(Contd. of page
EL (Canada)	Short-term value: 10** mg/m ³
	Long-term value: 10* 3** mg/m ³ *inhalable fume;**respirable dust and fume
EV (Canada)	Long-term value: 10 mg/m ³ inhalable
	Quartz (SiO2)
REL (USA)	Long-term value: 0,05* mg/m³ *respirable dust; See Pocket Guide App. A
TLV (USA)	Long-term value: 0,025* mg/m ³ *as respirable fraction
EL (Canada)	Long-term value: 0,025 mg/m ³ ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0,10* mg/m³ *respirable fraction
1309-37-1 Re	d Iron Oxide
PEL (USA)	Long-term value: 10 mg/m ³ Fume
REL (USA)	Long-term value: 5 mg/m³ Dust & fume, as Fe
TLV (USA)	Long-term value: 5* mg/m ³ *as respirable fraction
EL (Canada)	Short-term value: 10** mg/m³ Long-term value: 5* mg/m³ *dust and fume; **fume
EV (Canada)	Long-term value: 5* 10** mg/m³ *respirable, including Rouge;**total dust
13463-67-7 ti	itanium dioxide
PEL (USA)	Long-term value: 15* mg/m ³ *total dust
REL (USA)	See Pocket Guide App. A
TLV (USA)	Long-term value: (10) NIC-1* mg/m³ *respirable fraction, NIC-A3
EL (Canada)	Long-term value: 10 mg/m ³ IARC 2B
EV (Canada)	Long-term value: 10 mg/m ³ total dust
1305-78-8 ca	lcium oxide
	Long-term value: 5 mg/m ³
PEL (USA)	
	Long-term value: 2 mg/m ³
PEL (USA)	
PEL (USA) REL (USA) TLV (USA)	Long-term value: 2 mg/m ³
PEL (USA) REL (USA) TLV (USA) EL (Canada)	Long-term value: 2 mg/m³ Long-term value: 2 mg/m³

Printing date 12.05.2014

Revision: 12.05.2014

Trade name: MICRO ALUMINA "T" Trea	ated	
• PNECs No further relevant informatio	n available. id during the making were used as basis.	(Contd. of page 6)
 Keep away from foodstuffs, beverage Wash hands before breaks and at the Do not inhale dust / smoke / mist. Avoid close or long term contact with Avoid contact with the eyes. Respiratory protection: Suitable respiratory protective device Avoid inhalation of the chemical/ the p For spills, respiratory protection may I Use respiratory protection when grind Protection of hands: No chemical-protective gloves require 	e to be adhered to when handling chemicals. s and feed. e end of work. the skin. product/ the preparation by organizational measures be advisable. ding or cutting material. ed. it mechanical hazards according to NIOSH or EN 38	
Protection may be required for spills. • Limitation and supervision of expo • Risk management measures No sp	sure into the environment No special requirement ecial requirements.	ts.
9 Physical and chemical prope	rties	
 9.1 Information on basic physical a General Information Appearance: Form: Colour: Odour: Odour threshold: 	nd chemical properties Crystalline powder White Odourless Not determined.	
· pH-value:	Not applicable.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	3632 °F / 2000 °C Undetermined.	
· Flash point:	Not applicable.	(Contd. on page 8)

GHS

Printing date 12.05.2014

Trade name: MICRO ALUMINA "T" Treated

Revision: 12.05.2014

		(Contd. of page
Flammability (solid, gaseous):	Not determined.	
Auto/Self-ignition temperature:	Not determined.	
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not self-igniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
Vapour pressure:	Not applicable.	
Density at 20 °C: Relative density Vapour density Evaporation rate	2,5 g/cm³ Not determined. Not applicable. Not applicable.	
Solubility in / Miscibility with water:	Insoluble.	
Partition coefficient (n-octanol/wat		
Viscosity:		
Dynamic:	Not applicable.	
Kinematic: 9.2 Other information	Not applicable. No further relevant information available.	

10 Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

- Reacts with strong acids and alkali.
- · 10.4 Conditions to avoid Moisture.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Toxic metal oxide smoke

(Contd. on page 9)

Printing date 12.05.2014

Revision: 12.05.2014

Trade name: MICRO ALUMINA "T" Treated

(Contd. of page 8)

11 Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity:

Primary irritant effect:

· on the skin: No irritant effect.

· on the eye: Slight irritant effect on eyes.

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

Carcinogenic if inhaled.

May cause cancer.

• **Repeated dose toxicity:** May cause damage to organs through prolonged or repeated exposure.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Carc. 1A

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: Generally not hazardous for water
- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Negative ecological effects are, according to the current state of knowledge, not expected.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.

· **vPvB:** Not applicable.

12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

Uncleaned packaging:

• **Recommendation:** Disposal must be made according to official regulations.

(Contd. on page 10)

Printing date 12.05.2014

Revision: 12.05.2014

Trade name: MICRO ALUMINA "T" Treated

(Contd. of page 9)

14 Transport information	
· 14.1 UN-Number	
DOT, ADR, ADN, IMDG, IATA	Not Regulated
 14.2 UN proper shipping name DOT, ADR, ADN, IMDG, IATA 	Not Regulated
· 14.3 Transport hazard class(es)	Not Regulated
DOT, ADR, ADN, IMDG, IATA	
Class	Not Regulated
^{14.4} Packing group	
DOT, ADR, IMDG, IATA	Not Regulated
14.5 Environmental hazards:	
 Marine pollutant: 	No
• 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Annex I	lof
MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

15.1 Safety, health and environmental regulations/legislat United States (USA) SARA	
Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 (Specific toxic chemical listings):	
1344-28-1 aluminium oxide	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65 (California):	
Chemicals known to cause cancer:	
14808-60-7 Quartz (SiO2)	
13463-67-7 titanium dioxide	
Chemicals known to cause reproductive toxicity for fema	les:
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for male	s:
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	

3

1

3

2B

A4

A4

A2

A4

A4

Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and GHS

Printing date 12.05.2014

Trade name: MICRO ALUMINA "T" Treated

Revision: 12.05.2014

(Contd. of page 10) · Carcinogenic Categories EPA (Environmental Protection Agency) None of the ingredients is listed. IARC (International Agency for Research on Cancer) 7631-86-9 silicon dioxide, chemically prepared 14808-60-7 Quartz (SiO2) 1309-37-1 Red Iron Oxide 13463-67-7 titanium dioxide • TLV (Threshold Limit Value established by ACGIH) 1344-28-1 aluminium oxide 1309-48-4 magnesium oxide 14808-60-7 Quartz (SiO2) 1309-37-1 Red Iron Oxide 13463-67-7 titanium dioxide · NIOSH-Ca (National Institute for Occupational Safety and Health) 14808-60-7 Quartz (SiO2) 13463-67-7 titanium dioxide · Canada · Canadian Domestic Substances List (DSL) All ingredients are listed. Canadian Ingredient Disclosure list (limit 0.1%) None of the ingredients is listed. · Canadian Ingredient Disclosure list (limit 1%) All ingredients are listed.

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

- H318 Causes serious eye damage.
- H319 Causes serious eve irritation.
- H335 May cause respiratory irritation.
- H350 May cause cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.

(Contd. on page 12)

GHS

Printing date 12.05.2014

Г

Revision: 12.05.2014

		(Contd. of page 11)
R37/38 Irritat R41 Risk	ng to eyes and skin. ng to respiratory system and skin. f serious damage to eyes. 'ul: danger of serious damage to h	ealth by prolonged exposure through inhalation.
ADR: Accord e International Car IMDG: Internation DOT: US Depart IATA: Internation GHS: Globally H ACGIH: Americas EINECS: Europe CAS: Chemical NFPA: National HMIS: Hazardou WHMIS: Workpl DNEL: Derived N PNEC: Predicted Skin Irrit. 2: Skin Eye Dam. 1: Ser Eye Irrit. 2: Serio Carc. 1A: Carcin Carc. 1A: Carcin STOT SE 3: Spe	s and acronyms: ropéen sur le transport des marchand iage of Dangerous Goods by Road) nal Maritime Code for Dangerous Goods nent of Transportation al Air Transport Association romonized System of Classification and La n Conference of Governmental Industrial I an Inventory of Existing Commercial Cher in List of Notified Chemical Substances bstracts Service (division of the Americar ire Protection Association (USA) Materials Identification System (USA) ce Hazardous Materials Information Syste o-Effect Level (REACH) No-Effect Concentration (REACH) corrosion/irritation, Hazard Category 2 ous eye damage/eye irritation, Hazard Cate ogenicity, Hazard Category 1A ogenicity, Hazard Category 1A ogenicity, Hazard Category 1Ai cific target organ toxicity - Single exposure cific target organ toxicity - Repeated expo	Hygienists nical Substances Chemical Society) em (Canada) legory 1 gory 2

THIS PRODUCT IS CERTIFIED TO BE ROHS COMPLIANT

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. LAPMASTER WOLTERS MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the LAPMASTER WOLTERS is fit for a particular purpose and if it is suitable for the method of use or application. Given the variety of factors that can affect the use and application of a LAPMASTER WOLTERS product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the LAPMASTER WOLTERS product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

LAPMASTER WOLTERS provides information in electronic form as a service to our customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, LAPMASTER WOLTERS makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from LAPMASTER WOLTERS.