

# SAFETY DATA SHEET

Date: June 2015

# Section #1: PRODUCT AND COMPANY IDENTIFICATION

Lapmaster Wolters, LLC 501 W. Algonquin Road Mt. Prospect, IL 60056

www.lapmaster.com

Telephone: (224) 659-7101 (Office Hours 8:00 a.m. to 5:30 p.m. CST)

24-Hour Emergency Number: Chemtrec - 1-800-424-9300

Product Identification: Abrasive Powder

Product Name: Brown Fused Aluminum Oxide

Product Use: Aluminum Oxide Abrasive Powder to Lap/Polish Components

### SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Classifications listed also are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

The following classifications are applicable only to OSHA (USA) regulations and not the specific CLP regulation: H351.



health hazard (US GHS only)

Carc. 2 H351: Suspected of causing cancer.

The product is not classified as hazardous according to the CLP regulation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC Not applicable.

· Information concerning particular hazards for human and environment:

The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)

Printing date 17.03.2015 Revision: 17.03.2015

Trade name: MICROGRADED ALUNDUM®

**BROWN FUSED ALUNDUM® MICROGRITS** 

**BROWN FUSED ALUMINUM OXIDE** 

**BROWN ALUMINUM OXIDE;** 

DAO

(Contd. of page 1)

### · Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

The classification is in accordance with the latest editions of international substances lists, and is supplemented by information from technical literature and by information provided by the company.

#### · Additional information:

Long term inhalation of product dust may be harmful.

There are no other hazards not otherwise classified that have been identified.

0 percent of the mixture consists of component(s) of unknown toxicity

#### · 2.2 Label elements

### · Labelling according to Regulation (EC) No 1272/2008

This product does not have a classification according to the CLP regulation.

The substance is classified and labelled according to the Globally Harmonized System within the United States (GHS).

· Hazard pictograms



health hazard (US GHS only)

## · Signal word

WĀRNING

Applicable only within the United States (USA)

#### · Hazard-determining components of labelling:

titanium dioxide

## · Hazard statements

The following Hazard Statements are applicable only according to OSHA regulations within the United States. These Statements are not applicable for the CLP regulation (1272/2008/EC) in the EU: H351. H351: Suspected of causing cancer.

### **Precautionary statements**

Applicable only within the United States (USA)

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard description:

· WHMIS-symbols: Not hazardous under WHMIS.

(Contd. on page 3)

Printing date 17.03.2015 Revision: 17.03.2015

Trade name: MICROGRADED ALUNDUM®

**BROWN FUSED ALUNDUM® MICROGRITS** 

**BROWN FUSED ALUMINUM OXIDE** 

**BROWN ALUMINUM OXIDE;** 

**DAO** 

(Contd. of page 2)

### · NFPA ratings (scale 0 - 4)



Health = 1 Fire = 0

Reactivity = 0

HMIS-ratings (scale 0 - 4)



□ Fire = 0

\* - Indicates a long term health hazard from repeated or prolonged exposures.

· HMIS Long Term Health Hazard Substances

13463-67-7 titanium dioxide

- 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · **Description**: Mixture of substances listed below with nonhazardous additions.

| · Dangerous components:   |  |        |
|---|--|--------|
| CAS: 1344-28-1<br>EINECS: 215-691-6                               | aluminium oxide substance with a Community workplace exposure limit                    | > 88%  |
| CAS: 13463-67-7<br>EINECS: 236-675-5                              | titanium dioxide substance with a Community workplace exposure limit                   | < 6%   |
| CAS: 1309-37-1<br>EINECS: 215-168-2                               | diiron trioxide / iron (III) oxide substance with a Community workplace exposure limit | < 5%   |
| CAS: 1305-78-8<br>EINECS: 215-138-9                               | calcium oxide  Xi R37/38-41  Eye Dam. 1, H318  Skin Irrit. 2, H315; STOT SE 3, H335    | < 0,6% |
| CAS: 1309-48-4<br>EINECS: 215-171-9<br>Index number: 025-199-09-0 | magnesium oxide substance with a Community workplace exposure limit                    | < 0,5% |

Dangerous Components (Alternative Classifications):

based on IARC classifcation.

| CAS: 13463-67-7<br>EINECS: 236-675-5 | ♦ Carc. 2, H351 | < 6%      |
|--------------------------------------|-----------------|-----------|
|                                      | (Contd. or      | 2 2000 4) |

(Contd. on page 4)

Printing date 17.03.2015 Revision: 17.03.2015

Trade name: MICROGRADED ALUNDUM®

**BROWN FUSED ALUNDUM® MICROGRITS** 

**BROWN FUSED ALUMINUM OXIDE** 

**BROWN ALUMINUM OXIDE;** 

DAO

(Contd. of page 3)

· Additional information: For the wording of the listed risk phrases refer to section 16.

#### **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash with soap and water.

If skin irritation is experienced, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- 4.2 Most important symptoms and effects, both acute and delayed Coughing
- · Hazards

Danger of impaired breathing.

Suspected of causing cancer. Route of exposure: Inhalative.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- 5.1 Extinguishing media
- · Suitable extinguishing agents:

The product is not flammable.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: None.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information No further relevant information available.

#### **SECTION 6: Accidental release measures**

• 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

(Contd. on page 5)

Printing date 17.03.2015 Revision: 17.03.2015

Trade name: MICROGRADED ALUNDUM®

**BROWN FUSED ALUNDUM® MICROGRITS** 

**BROWN FUSED ALUMINUM OXIDE** 

**BROWN ALUMINUM OXIDE;** 

**DAO** 

(Contd. of page 4)

For large spills, wear protective clothing.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

- **6.2 Environmental precautions:** No special measures required.
- · 6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

Use only in well ventilated areas.

Prevent formation of dust.

Any unavoidable deposit of dust must be regularly removed.

Take note of emission threshold.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with acids.

Do not store together with alkalis (caustic solutions).

- Further information about storage conditions: Store in dry conditions.
- · 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

### 1344-28-1 aluminium oxide

PEL (USA) Long-term value: 15\*; 15\*\* mg/m³
\*Total dust; \*\* Respirable fraction

(Contd. on page 6)

Printing date 17.03.2015 Revision: 17.03.2015

Trade name: MICROGRADED ALUNDUM®

**BROWN FUSED ALUNDUM® MICROGRITS** 

**BROWN FUSED ALUMINUM OXIDE** 

**BROWN ALUMINUM OXIDE;** 

DAO

|               |  | (Contd. of page 5) |
|---------------|--|--------------------|
| REL (USA)     | Long-term value: 10* 5** mg/m³   |                    |
| TIV//LICAX    | as Āl*Total dust**Respirable/pyro powd./welding f.   |                    |
| TLV (USA)     | Long-term value: 1* mg/m³ as Al; *as respirable fraction   |                    |
| FL (Canada)   | Long-term value: 1,0 mg/m³   |                    |
| LE (Gariada)  | respirable, as Al  |                    |
| EV (Canada)   | Long-term value: 10 mg/m³ total dust   |                    |
| 13463-67-7 ti | tanium dioxide   |                    |
| PEL (USA)     | Long-term value: 15* mg/m³ *total dust   |                    |
| REL (USA)     | See Pocket Guide App. A  |                    |
| TLV (USA)     | Long-term value: 10 mg/m³ withdrawn from NIC   |                    |
| EL (Canada)   | Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction; IARC 2B  |                    |
| EV (Canada)   | Long-term value: 10 mg/m³ total dust   |                    |
| 1309-37-1 dii | ron trioxide / iron (III) oxide  |                    |
| PEL (USA)     | Long-term value: 10* 15** 5*** mg/m³ *Fume; Rouge: **Total dust, ***respirable   |                    |
| REL (USA)     | Long-term value: 5 mg/m³<br>Dust & fume, as Fe   |                    |
| TLV (USA)     | Long-term value: 5* mg/m³ *as respirable fraction  |                    |
| EL (Canada)   | Short-term value: 10** mg/m³<br>Long-term value: 5* 10*** 3**** mg/m³<br>*dust & fume**fume; Rouge: ***total dust****resp. |                    |
| EV (Canada)   | Long-term value: 5* 10** mg/m³<br>*respirable, including Rouge;**total dust  |                    |
| 1305-78-8 ca  | lcium oxide  |                    |
| PEL (USA)     | Long-term value: 5 mg/m³   |                    |
| REL (USA)     | Long-term value: 2 mg/m³   |                    |
| TLV (USA)     | Long-term value: 2 mg/m³   |                    |
| EL (Canada)   | Long-term value: 2 mg/m³   |                    |
| EV (Canada)   | Long-term value: 2 mg/m³   |                    |
|               |  | (Contd. on page 7) |

Printing date 17.03.2015 Revision: 17.03.2015

Trade name: MICROGRADED ALUNDUM®

**BROWN FUSED ALUNDUM® MICROGRITS** 

**BROWN FUSED ALUMINUM OXIDE** 

**BROWN ALUMINUM OXIDE;** 

**DAO** 

(Contd. of page 6)

| 1309-48-4 magnesium oxide |  |  |
|---------------------------|--|--|
| PEL (USA)                 | Long-term value: 15* mg/m³ fume; *total particulate  |  |
| TLV (USA)                 | Long-term value: 10* mg/m³ *as inhalable fraction  |  |
| EL (Canada)               | Short-term value: 10** mg/m³<br>Long-term value: 10* 3** mg/m³<br>*inhalable fume;**respirable dust and fume |  |

- EV (Canada) Long-term value: 10 mg/m³
  - inhalable
- **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Do not inhale dust / smoke / mist.

### · Respiratory protection:

Suitable respiratory protective device recommended.

Use respiratory protection when grinding or cutting material.

For large spills, respiratory protection may be advisable.

### Protection of hands:

No chemical-protective gloves required.

Wear gloves for the protection against mechanical hazards according to NIOSH or EN 388.

Eye protection:



Safety glasses

- · Body protection: Protection may be required for spills.
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

No further relevant information available.

(Contd. on page 8)

Printing date 17.03.2015 Revision: 17.03.2015

Trade name: MICROGRADED ALUNDUM®

**BROWN FUSED ALUNDUM® MICROGRITS** 

**BROWN FUSED ALUMINUM OXIDE** 

**BROWN ALUMINUM OXIDE;** 

**DAO** 

(Contd. of page 7)

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Powder

Granulate

Colour: Grey

Dark brown

Odourless
Odour threshold:
Odourless
Not determined.

· **pH-value:** Not applicable.

· Change in condition

**Melting point/Melting range:** >2000 °C (>3632 °F) **Boiling point/Boiling range:** >2900 °C (>5252 °F)

Flash point: Not applicable.
 Flammability (solid, gaseous): Not determined.
 Auto/Self-ignition temperature: Not determined.
 Decomposition temperature: Not determined.

· **Self-igniting:** Product is not self-igniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.

Upper: Not determined.

• Vapour pressure: Not applicable.

• **Density at 20 °C (68 °F):** 3,9 g/cm³ (32,546 lbs/gal)

Relative density
 Vapour density
 Evaporation rate
 Not determined.
 Not applicable.
 Not applicable.

· Solubility in / Miscibility with

water: Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not applicable. **Kinematic:** Not applicable.

(Contd. on page 9)

Printing date 17.03.2015 Revision: 17.03.2015

Trade name: MICROGRADED ALUNDUM®

**BROWN FUSED ALUNDUM® MICROGRITS** 

**BROWN FUSED ALUMINUM OXIDE** 

**BROWN ALUMINUM OXIDE;** 

DAO

(Contd. of page 8)

· Solvent content:

Organic solvents: Not determined.

Solids content: Not determined.

• 9.2 Other information No further relevant information available.

# **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- 10.3 Possibility of hazardous reactions Reacts with strong acids and alkali.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Possible in traces.

## **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values relevant for classification: None.
- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: Mechanical irritation only.
- · Sensitisation: No sensitising effects known.
- Acute effects (acute toxicity, irritation and corrosivity):

Inhalation may cause irritation to the respiratory system.

· Repeated dose toxicity:

Long-term inhalation of silica dusts may cause obstructive pulmonary disease including silicosis.

May cause damage to organs through prolonged or repeated exposure.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):

Carc. 2A

Based on IARC classifications and not the CLP classification.

### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.

(Contd. on page 10)

Printing date 17.03.2015 Revision: 17.03.2015

Trade name: MICROGRADED ALUNDUM®

**BROWN FUSED ALUNDUM® MICROGRITS** 

**BROWN FUSED ALUMINUM OXIDE** 

**BROWN ALUMINUM OXIDE;** 

DAO

(Contd. of page 9)

- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Not known to be hazardous to water.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

#### **SECTION 14: Transport information**

· 14.1 UN-Number

· DOT, ADR, ADN, IMDG, IATA Not Regulated

· 14.2 UN proper shipping name

· DOT, ADR, ADN, IMDG, IATA Not Regulated

· 14.3 Transport hazard class(es)

· DOT, ADR, ADN, IMDG, IATA

· Class Not Regulated

· 14.4 Packing group

· DOT, ADR, IMDG, IATA Not Regulated

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Not applicable.

14.7 Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

(Contd. on page 11)

Printing date 17.03.2015 Revision: 17.03.2015

Trade name: MICROGRADED ALUNDUM®

**BROWN FUSED ALUNDUM® MICROGRITS** 

**BROWN FUSED ALUMINUM OXIDE** 

**BROWN ALUMINUM OXIDE;** 

**DAO** 

UN "Model Regulation":

(Contd. of page 10)

# **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

1344-28-1 aluminium oxide

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

13463-67-7 titanium dioxide

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic Categories
- EPA (Environmental Protection Agency)

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer)

13463-67-7 titanium dioxide

2B

TLV (Threshold Limit Value established by ACGIH)

1344-28-1 aluminium oxide

IA4

13463-67-7 titanium dioxide

1309-37-1 diiron trioxide / iron (III) oxide

A4 A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

13463-67-7 titanium dioxide

(Contd. on page 12)

Printing date 17.03.2015 Revision: 17.03.2015

Trade name: MICROGRADED ALUNDUM®

**BROWN FUSED ALUNDUM® MICROGRITS** 

**BROWN FUSED ALUMINUM OXIDE** 

**BROWN ALUMINUM OXIDE;** 

DAO

(Contd. of page 11)

· Canada

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients are listed.

· Canadian Ingredient Disclosure list (limit 1%)

1344-28-1 aluminium oxide

7631-86-9 silicon dioxide, chemically prepared

1309-37-1 diiron trioxide / iron (III) oxide

Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### Relevant phrases

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

R37/38 Irritating to respiratory system and skin.

R41 Risk of serious damage to eyes.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

(Contd. on page 13)

Printing date 17.03.2015 Revision: 17.03.2015

Trade name: MICROGRADED ALUNDUM®

**BROWN FUSED ALUNDUM® MICROGRITS** 

**BROWN FUSED ALUMINUM OXIDE** 

**BROWN ALUMINUM OXIDE:** 

DAO

(Contd. of page 12)

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

### THIS PRODUCT IS CERTIFIED TO BE ROHS COMPLIANT

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. LAPMASTER WOLTERS MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the LAPMASTER WOLTERS is fit for a particular purpose and if it is suitable for the method of use or application. Given the variety of factors that can affect the use and application of a LAPMASTER WOLTERS product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the LAPMASTER WOLTERS product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

LAPMASTER WOLTERS provides information in electronic form as a service to our customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, LAPMASTER WOLTERS makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from LAPMASTER WOLTERS.